

# Design Architectural Series Patio Door

A modern update on a proven performer



## INTRODUCING THE

## Design Architectural Series Patio Door

Ply Gem is proud to introduce the Design Architectural Series patio door. Featuring fully extruded aluminum cladding to both the interior and exterior, this door is perfectly suited for today's modern style homes.

## Configurations and Sizes\*

Sliding patio doors provide light, expansive views and an easy transition between indoors and out.



2-Wide - Either panel can be active.

Nominal Size	Width (mm)	Height (mm)	Width (in)	Height (in)	
5068	1505	2014	591/4	793/8	
50610	1505	2074	591/4	81%	
5080	1505	2394	591/4	941/4	
6068	1810	2014	711/4	793/8	
60610	1810	2074	711/4	81%	
6080	1810	2394	711/4	941/4	
8068	2425	2014	95½	793/8	
80610	2425	2074	95½	81%	
8080	2425	2394	95½	941/4	

**3-Wide**<sup>†</sup> - Active outside panel (left or right)

Nominal Size	Width (mm)	Height (mm)	Width (in)	Height (in)	
7668	2169	2014	85¾	793/8	
76610	2169	2074	853/8	81%	
7680	2169	2394	853/8	941/4	
9068	2627	2014	103%	793/8	
90610	2627	2074	103%	81%	
9080	2627	2394	1033/8	941/4	
12068	3549	2014	139¾	793/8	
120610	3549	2074	139¾	81%	
12080	3549	2394	139¾	941/4	

|--|

4-Wide<sup>†</sup> - Both centre panels are active.

Nominal Size	Width (mm)	Height (mm)	Width (in)	Height (in)	
10068	2926	2014	1151/4	793/8	
100610	2926 2074 1151/4 81		81%		
10080	2926	2394	1151/4	941/4	
12068	3536	2014 1391/4		793/8	
120610	3536	2074	1391/4	815%	
12080	3536	2394	1391/4	941/4	

<sup>\*</sup>Custom sizes are available for an extra charge.


<sup>&</sup>lt;sup>†</sup>Available in Fall 2019.



## Colour Options\*

**ECP ENHANCED COLOUR PROTECTION** An innovative Kynar\* coating helps protect our darker colours from fading and chalking. Colours are reproduced as accurately as printer technology allows.

#### Interior Frame




#### Exterior Frame









## Hardware\*

Contemporary handles available in 4 colours.

Black

Brushed

Chrome



Nickel



Oil Rubbed Bronze

## Simulated Divided Lites (SDL)

Exterior and interior colours to match your doors.



## In-Glass Grilles

These are installed between the glass panes.









5/16" Flat





1" Contour

3/4" Contour



## Glazing Options & Performance

- Low emissivity (LoĒ) coatings are applied to glass surfaces to reduce the transfer of heat through the window. High solar gain LoĒ lets more of the sun's heat pass into a room. Low solar gain LoĒ blocks more of the sun's heat.
- Triple glazing is available in all sizes except 8068, 80610, and 8080.
- In-glass blinds are not available in 8'0 widths, 8'0" heights, or in non-standard sizes.
- All units rated in accordance with NFRC 100/200 standards.
   Performance values reflect the performance of units tested with a 3mm, no grilles configuration.

#### ECO GAIN 180 High Solar Gain Glass

A great choice for our northern climate because it allows solar energy to pass through the glass to provide "free heat" in winter

#### ECO SHIELD 270 Solar Control Glass

A good choice for variable climates. Throughout the year, Eco Glass Shield protects against fading without darkening your view.

### ECO MAXSHIELD 366 Ultimate Performance Glass

This "spectrally selective" glass provides the highest level of comfort, energy savings and fade protection.

Glazing Specifications	Metric U-Factor	U-Factor	SHGC	VT	NBC 9.36	CND Energy Star Zone 2015
LoĒ 180 Glass Dual	1.65	0.29	0.52	0.60	Zone 8	1, 2
LoĒ 180 Glass Triple TG1*	1.48	0.26	0.45	0.55	Zone 8	1, 2

<sup>\*</sup>TG1 = Triple Glazed, Single LoĒ Coating, 2 Argon filled air spaces

#### **Preserve**™ **Protective Film**

We help protect doors during transit and at the job site by applying a clear protective film on inner and outer glass surfaces. It eliminates masking and makes cleanup a snap.



#### **NEAT®** Glass

This special coating reacts with the sun's rays to loosen dirt so it rinses away when it rains. Your windows will stay cleaner longer and be easier to clean. Available with Eco Shield and Max Shield glass.





NEAT® glass

Ordinary glass

